Contents:

Volume 147, Number 1, October 4, 1999

In Brief

Involvement of claudins in tight junctions. Signaling pathways in tumor development. Signaling in dental stem cells. Cytoplasmic dynein and MTOC positioning.

A.W. Dove

Mini-Review

1 **Regulated secretion from hemopoietic cells.**

J.C. Stinchcombe and G.M. Griffiths

Brief Report

7 **ADP-ribosylation factor 6 and endocytosis at the apical surface of Madin-Darby canine kidney cells.**

Y. Altschuler, S.-H. Liu, L. Katz, K. Tang, S. Hardy, F. Brodsky, G. Apodaca, and K. Mostov

Regular Articles

13 **Spatial relationship between transcription sites and chromosome territories.**

P.J. Verschure, I. van der Kraan, E.M.M. Manders, and R. van Driel

25 **DNA methyltransferase is actively retained in the cytoplasm during early development.**

M.C. Cardoso and H. Leonhardt

33 **Stromal processing peptidase binds transit peptides and initiates their ATP-dependent turnover in chloroplasts.**

S. Richter and G.K. Lamppa

45 **The pathway of US11-dependent degradation of MHC class I heavy chains involves a ubiquitin-conjugated intermediate.**

C.E. Shamu, C.M. Story, T.A. Rapoport, and H.L. Ploegh

59 **Neurotrophin regulation of β-actin mRNA and protein localization within growth cones.**

H.L. Zhang, R.H. Singer, and G.J. Bassell

71 **Sonic hedgehog opposes epithelial cell cycle arrest.**

H. Fan and P.A. Khavari

77 **ErbB4 signaling in the mammary gland is required for lobuloalveolar development and Stat5 activation during lactation.**

F.E. Jones, T. Welte, X.-Y. Fu, and D.F. Stern

89 **Tumor dormancy induced by downregulation of urokinase receptor in human carcinoma involves integrin and MAPK signaling.**

J.A. Aguirre Ghiso, K. Kovalski, and L. Ossowski

105 **Localization of putative stem cells in dental epithelium and their association with Notch and FGF signaling.**

H. Harada, P. Kettunen, H.-S. Jung, T. Mustonen, Y.A. Wang, and I. Thesleff

121 **Presenilin 1 suppresses the function of c-Jun homodimers via interaction with QM/Jif-1.**

I. Imafuku, T. Masaki, M. Waragai, S. Takeuchi, M. Kawabata, S.-i. Hirai, S. Ohno, L.E. Nee, C.F. Lippa, I. Kanazawa, M. Imagawa, and H. Okazawa

135 **Cytoplasmic dynein is required for distinct aspects of MTOC positioning, including centrosome separation, in the one cell stage *Caenorhabditis elegans* embryo.**

P. Gönczy, S. Pichler, M. Kirkham, and A.A. Hyman

151 **Aczonin, a 550-kD putative scaffolding protein of presynaptic active zones, shares homology regions with Rim and Bassoon and binds profilin.**

X. Wang, M. Kibschull, M.M. Laue, B. Lichte, E. Petrasch-Parwez, and M.W. Kilimann

163 **Cell wall stress depolarizes cell growth via hyperactivation of RHO1.**

P.-A. Delley and M.N. Hall

175 **Plasma membrane microdomains act as concentration platforms to facilitate intoxication by aerolysin.**

L. Abrami and F.G. van der Goot

185 **Endothelial claudin: Claudin-5/TMVCF constitutes tight junction strands in endothelial cells.**

K. Morita, H. Sasaki, M. Furuse, and S. Tsukita

195 ***Clostridium perfringens* enterotoxin fragment removes specific claudins from tight junction strands: Evidence for direct involvement of claudins in tight junction barrier.**

N. Sonoda, M. Furuse, H. Sasaki, S. Yonemura, J. Katahira, Y. Horiguchi, and S. Tsukita

205 **ADDITIONS AND CORRECTIONS**

Volume 147, Number 2, October 18, 1999

In Brief

Coordinating microtubules.
A mammalian translation enhancer.
Cyclin A does prophase.
Where presenilin does its work.
W.A. Wells

Regular Articles

207 **RAD51 and DMC1 form mixed complexes associated with mouse meiotic chromosome cores and synaptonemal complexes.**
M. Tarsounas, T. Morita, R.E. Pearlman, and P.B. Moens

221 **PML is critical for ND10 formation and recruits the PML-interacting protein Daxx to this nuclear structure when modified by SUMO-1.**
A.M. Ishov, A.G. Sotnikov, D. Negorev, O.V. Vladimirova, N. Neff, T. Kamitani, E.T.H. Yeh, J.F. Strauss III, and G.G. Maul

235 **The karyopherin Kap122p/Pdr6p imports both subunits of the transcription factor IIA into the nucleus.**
A.A. Titov and G. Blobel

247 **The cis-acting RNA trafficking signal from myelin basic protein mRNA and its cognate trans-acting ligand hnRNP A2 enhance cap-dependent translation.**
S. Kwon, E. Barbarese, and J.H. Carson

257 **Glycosylation can influence topogenesis of membrane proteins and reveals dynamic reorientation of nascent polypeptides within the translocon.**
V. Goder, C. Bieri, and M. Spiess

267 **The maize *tha4* gene functions in Sec-independent protein transport in chloroplasts and is related to *hcf106*, *tatA*, and *tatB*.**
M.B. Walker, L.M. Roy, E. Coleman, R. Voelker, and A. Barkan

277 **Presenilin 1 controls γ-secretase processing of amyloid precursor protein in pre-Golgi compartments of hippocampal neurons.**
W.G. Annaert, L. Levesque, K. Craessaerts, I. Dierinck, G. Snellings, D. Westaway, P. St. George-Hyslop, B. Cordell, P. Fraser, and B. De Strooper

295 **Human cyclin A is required for mitosis until mid prophase.**
N. Furuno, N. den Elzen, and J. Pines

307 **Analysis of dynactin subcomplexes reveals a novel actin-related protein associated with the Arp1 minifilament pointed end.**
D.M. Eckley, S.R. Gill, K.A. Melkonian, J.B. Bingham, H.V. Goodson, J.E. Heuser, and T.A. Schroer

321 **Dynactin is required for microtubule anchoring at centrosomes.**
N.J. Quintyne, S.R. Gill, D.M. Eckley, C.L. Crego, D.A. Compton, and T.A. Schroer

335 **Novel roles for *Saccharomyces cerevisiae* mitotic spindle motors.**
F.R. Cottingham, L. Gheber, D.L. Miller, and M.A. Hoyt

351 **The kinesin-related protein, HSET, opposes the activity of Eg5 and cross-links microtubules in the mammalian mitotic spindle.**
V. Mountain, C. Simerly, L Howard, A. Ando, G. Schatten, and D.A. Compton

367 **A cell-free assay system for β-catenin signaling that recapitulates direct inductive events in the early *Xenopus laevis* embryo.**
R.W. Nelson and B.M. Gumbiner

375 **The receptor tyrosine phosphatase CRYPα promotes intraretinal axon growth.**
M.M. Ledig, F. Haj, J.L. Bixby, A.W. Stoker, and B.K. Mueller

389 **Integrin-associated protein stimulates α2β1-dependent chemotaxis via Gi-mediated inhibition of adenylate cyclase and extracellular-regulated kinases.**
X.-Q. Wang, F.P. Lindberg, and W.A. Frazier

401 **Integrin α2β1 mediates isoform-specific activation of p38 and upregulation of collagen gene transcription by a mechanism involving the α2 cytoplasmic tail.**
J. Ivaska, H. Reunanen, J. Westermarck, L. Koivisto, V.-M. Kähäri, and J. Heino

417 **Binding of integrin α6β4 to plectin prevents plectin association with F-actin but does not interfere with intermediate filament binding.**
D. Geerts, L. Fontao, M.G. Nievers, R.Q.J. Schaapveld, P.E. Purkis, G.N. Wheeler, E.B. Lane, I.M. Leigh, and A. Sonnenberg

435 **Formation process of autophagosome is traced with Apg8/Aut7p in yeast.**
T. Kirisako, M. Baba, N. Ishihara, K. Miyazawa, M. Ohsumi, T. Yoshimori, T. Noda, and Y. Ohsumi

447 **Aggregation of lipid rafts accompanies signaling via the T cell antigen receptor.**
P.W. Janes, S.C. Ley, and A.I. Magee

Volume 147, Number 3, November 1, 1999

In Brief

Mechanisms of chemotactic migration.
Protein components of exosomes.
Degraded collagen fragments and disruption of focal adhesions.
A novel kinesin motor from *Dictyostelium* extracts.

A.W. Dove

Mini-Reviews

463 **Kinesin-II, coming and going.**

D.G. Cole

467 **C-Type lectins and sialyl Lewis X oligosaccharides: Versatile roles in cell–cell interaction.**

M. Fukuda, N. Hiraoka, and J.-C. Yeh

Regular Articles

471 **HCP-1, a protein involved in chromosome segregation, is localized to the centromere of mitotic chromosomes in *Caenorhabditis elegans*.**

L.L. Moore, M. Morrison, and M.B. Roth

481 **Direct interaction of pericentrin with cytoplasmic dynein light intermediate chain contributes to mitotic spindle organization.**

A. Purohit, S.H. Tynan, R. Vallee, and S.J. Doxsey

493 **Reconstitution of membrane transport powered by a novel dimeric kinesin motor of the Unc104/KIF1A family purified from *Dictyostelium*.**

N. Pollock, E.L. de Hostos, C.W. Turck, and R.D. Vale

507 **Kinesin-II is required for axonal transport of choline acetyltransferase in *Drosophila*.**

K. Ray, S.E. Perez, Z. Yang, J. Xu, B.W. Ritchings, H. Steller, and L.S.B. Goldstein

519 **Role of a class DHC1b dynein in retrograde transport of IFT motors and IFT raft particles along cilia, but not dendrites, in chemosensory neurons of living *Caenorhabditis elegans*.**

D. Signor, K.P. Wedaman, J.T. Orozco, N.D. Dwyer, C.I. Bargmann, L.S. Rose, and J.M. Scholey

531 **Late onset death of motor neurons in mice overexpressing wild-type peripherin.**

J.-M. Beaulieu, M.D. Nguyen, and J.-P. Julien

545 **Sphingosine kinase expression increases intracellular sphingosine-1-phosphate and promotes cell growth and survival.**

A. Olivera, T. Kohama, L. Edsall, V. Nava, O. Cuvillier, S. Poulton, and S. Spiegel

559 **PAKa, a putative PAK family member, is required for cytokinesis and the regulation of the cytoskeleton in *Dictyostelium discoideum* cells during chemotaxis.**

C.Y. Chung and R.A. Firtel

577 **Integrating conflicting chemotactic signals: The role of memory in leukocyte navigation.**

E.F. Foxman, E.J. Kunkel, and E.C. Butcher

589 **Crystal structure of the cytosolic C2A-C2B domains of synaptotagmin III: Implications for Ca^{+2}-independent SNARE complex interaction.**

R.B. Sutton, J.A. Ernst, and A.T. Brunger

599 **Molecular characterization of dendritic cell-derived exosomes: Selective accumulation of the heat shock protein hsc73.**

C. Théry, A. Regnault, J. Garin, J. Wolfers, L. Zitvogel, P. Ricciardi-Castagnoli, G. Raposo, and S. Amigorena

611 **Focal adhesion kinase mediates the integrin signaling requirement for growth factor activation of MAP kinase.**

M.W. Renshaw, L.S. Price, and M.A. Schwartz

619 **Degraded collagen fragments promote rapid disassembly of smooth muscle focal adhesions that correlates with cleavage of $pp125^{FAK}$, paxillin, and talin.**

N.O. Carragher, B. Levkau, R. Ross, and E.W. Raines

631 **N-Cadherin promotes motility in human breast cancer cells regardless of their E-cadherin expression.**

M.T. Nieman, R.S. Prudoff, K.R. Johnson, and M.J. Wheelock

645 **Different dystrophin-like complexes are expressed in neurons and glia.**

D.J. Blake, R. Hawkes, M.A. Benson, and P.W. Beesley

659 **Cloning and characterization of a potassium-dependent sodium/calcium exchanger in *Drosophila*.**

K. Haug-Collet, B. Pearson, R. Webel, R.T. Szerencsei, R.J. Winkfein, P.P.M. Schnetkamp, and N.J. Colley

671 **A novel virus–host cell membrane interaction: Membrane voltage–dependent endocytic-like entry of bacteriophage ϕ6 nucleocapsid.**

M.M. Poranen, R. Daugelavičius, P.M. Ojala, M.W. Hess, and D.H. Bamford

683 **The tripartite type III secreton of *Shigella flexneri* inserts IpaB and IpaC into host membranes.**

A. Blocker, P. Gounon, E. Larquet, K. Niebuhr, V. Cabiaux, C. Parsot, and P. Sansonetti

Volume 147, Number 4, November 15, 1999

In Brief

Transport, not capture, for Myo2p.
Finding a receptor in cis.
A new Golgi to ER transport pathway.
Assembling snRNPs in Cajal bodies.
The point of no return for apoptosis.
W.A. Wells

Mini-Review

695 **Myogenic shape-shifters.**
C.P. Ordahl

Brief Report

699 **Division versus fusion: Dnm1p and Fzo1p antagonistically regulate mitochondrial shape.**
H. Sesaki and R.E. Jensen

Regular Articles

707 **Protein tyrosine phosphatase α (PTPα) and contactin form a novel neuronal receptor complex linked to the intracellular tyrosine kinase fyn.**
L. Zeng, L. D'Alessandri, M.B. Kalousek, L. Vaughan, and C.J. Pallen

715 **The spinal muscular atrophy disease gene product, SMN: A link between snRNP biogenesis and the Cajal (coiled) body.**
T. Carvalho, F. Almeida, A. Calapez, M. Lafarga, M.T. Berciano, and M. Carmo-Fonseca

729 **Sec34p, a protein required for vesicle tethering to the yeast Golgi apparatus, is in a complex with Sec35p.**
S.M. VanRheenen, X. Cao, S.K. Sapperstein, E.C. Chiang, V.V. Lupashin, C. Barlowe, and M.G. Waters

743 **Rab6 coordinates a novel Golgi to ER retrograde transport pathway in live cells.°**
J. White, L. Johannes, F. Mallard, A. Girod, S. Grill, S. Reinsch, P. Keller, B. Tzschaschel, A. Echard, B. Goud, and E.H.K. Stelzer

761 **PEX12 interacts with PEX5 and PEX10 and acts downstream of receptor docking in peroxisomal matrix protein import.**
C.-C. Chang, D.S. Warren, K.A. Sacksteder, and S.J. Gould

775 **Cathepsin S controls the trafficking and maturation of MHC class II molecules in dendritic cells.**
C. Driessen, R.A.R. Bryant, A.-M. Lennon-Duménil, J.A. Villadangos, P.W. Bryant, G.-P. Shi, H.A. Chapman, and H.L. Ploegh

791 **The COOH-terminal domain of Myo2p, a yeast myosin V, has a direct role in secretory vesicle targeting.**
D. Schott, J. Ho, D. Pruyne, and A. Bretscher

809 **The pro-apoptotic proteins, Bid and Bax, cause a limited permeabilization of the mitochondrial outer membrane that is enhanced by cytosol.**
R.M. Kluck, M. Degli Esposti, G. Perkins, C. Renken, T. Kuwana, E. Bossy-Wetzel, M. Goldberg, T. Allen, M.J. Barber, D.R. Green, and D.D. Newmeyer

823 **Comparative analysis of p73 and p53 regulation and effector functions.**
L. Fang, S.W. Lee, and S.A. Aaronson

831 **A role for p21-activated kinase in endothelial cell migration.**
W.B. Kiosses, R.H. Daniels, C. Otey, G.M. Bokoch, and M.A. Schwartz

845 **PAK-family kinases regulate cell and actin polarization throughout the cell cycle of *Saccharomyces cerevisiae*.**
S.P. Holly and K.J. Blumer

857 **Human 76p: A new member of the γ-tubulin–associated protein family.**
F. Fava, B. Raynaud-Messina, J. Leung-Tack, L. Mazzolini, M. Li, J.C. Guillemot, D. Cachot, Y. Tollon, P. Ferrara, and M. Wright

869 **Skeletal myogenic progenitors originating from embryonic dorsal aorta coexpress endothelial and myogenic markers and contribute to postnatal muscle growth and regeneration.**
L. De Angelis, L. Berghella, M. Coletta, L. Lattanzi, M. Zanchi, M.G. Cusella-De Angelis, C. Ponzetto, and G. Cossu

879 **Yes-associated protein 65 localizes $p62^{c\text{-}Yes}$ to the apical compartment of airway epithelia by association with EBP50.**
P.J. Mohler, S.M. Kreda, R.C. Boucher, M. Sudol, M.J. Stutts, and S.L. Milgram

891 **Manner of interaction of heterogeneous claudin species within and between tight junction strands.**
M. Furuse, H. Sasaki, and S. Tsukita

°The online version of this article contains supplemental material.

Volume 147, Number 5, November 29, 1999

Tribute

An award for cell biology.

S.M. Simon

In Brief

Morphology, motility, and signaling.
Distribution of viral DNA during infection.
A-type lamins and muscular dystrophy.

A.W. Dove

Mini-Reviews

905 **A first glimpse at the structure of the TOM translocase from the mitochondrial outer membrane.**

A. Verschoor and T. Lithgow

909 **Life without perlecan has its problems.**

B.R. Olsen

Brief Reports

913 **Loss of A-type lamin expression compromises nuclear envelope integrity leading to muscular dystrophy.**

T. Sullivan, D. Escalante-Alcalde, H. Bhatt, M. Anver, N. Bhat, K. Nagashima, C.L. Stewart, and B. Burke

921 **Human ECT2 is an exchange factor for Rho GTPases, phosphorylated in G2/M phases, and involved in cytokinesis.**

T. Tatsumoto, X. Xie, R. Blumenthal, I. Okamoto, and T. Miki

929 **Morphological control of inositol-1,4,5-trisphosphate–dependent signals.**

C.C. Fink, B. Slepchenko, I.I. Moraru, J. Schaff, J. Watras, and L.M. Loew

937 **Conservation of a gliding motility and cell invasion machinery in Apicomplexan parasites.**

S. Kappe, T. Bruderer, S. Gantt, H. Fujioka, V. Nussenzweig, and R. Ménard

Regular Articles

945 **Replication of tobacco mosaic virus on endoplasmic reticulum and role of the cytoskeleton and virus movement protein in intracellular distribution of viral RNA.**

P. Más and R.N. Beachy

959 **The TOM core complex: The general protein import pore of the outer membrane of mitochondria.**

U. Ahting, C. Thun, R. Hegerl, D. Typke, F.E. Nargang, W. Neupert, and S. Nussberger

969 **Centriolar satellites: Molecular characterization, ATP-dependent movement toward centrioles and possible involvement in ciliogenesis.**°

A. Kubo, H. Sasaki, A. Yuba-Kubo, S. Tsukita, and N. Shiina

981 **Cell cycle–regulated attachment of the ubiquitin-related protein SUMO to the yeast septins.**

E.S. Johnson and G. Blobel

995 **Ankyrin-B is required for intracellular sorting of structurally diverse Ca^{2+} homeostasis proteins.**

S. Tuvia, M. Buhusi, L. Davis, M. Reedy, and V. Bennett

1009 **Rac downregulates Rho activity: Reciprocal balance between both GTPases determines cellular morphology and migratory behavior.**

E.E. Sander, J.P. ten Klooster, S. van Delft, R.A. van der Kammen, and J.G. Collard

1023 **Phosphorylation of myosin-binding subunit (MBS) of myosin phosphatase by Rho-kinase in vivo.**

Y. Kawano, Y. Fukata, N. Oshiro, M. Amano, T. Nakamura, M. Ito, F. Matsumura, M. Inagaki, and K. Kaibuchi

1039 **A structural model for phosphorylation control of *Dictyostelium* myosin II thick filament assembly.**

W. Liang, H.M. Warrick, and J.A. Spudich

1049 **Programmed cell death of embryonic motoneurons triggered through the Fas death receptor.**

C. Raoul, C.E. Henderson, and B. Pettmann

1063 **p53 inhibits $\alpha 6\beta 4$ integrin survival signaling by promoting the caspase 3–dependent cleavage of AKT/PKB.**

R.E. Bachelder, M.J. Ribick, A. Marchetti, R. Falcioni, S. Soddu, K.R. Davis, and A.M. Mercurio

1073 **Enhancement of endothelial cell migration and in vitro tube formation by TAP20, a novel $\beta 5$ integrin–modulating, PKCθ-dependent protein.**

S. Tang, Y. Gao, and J.A. Ware

1085 **Analysis of the roles of 14-3-3 in the platelet glycoprotein Ib-IX–mediated activation of integrin $\alpha_{IIb}\beta_3$ using a reconstituted mammalian cell expression model.**

M. Gu, X. Xi, G.D. Englund, M.C. Berndt, and X. Du

1097 **Matrix GLA protein is a developmental regulator of chondrocyte mineralization and, when constitutively expressed, blocks endochondral and intramembranous ossification in the limb.**

K. Yagami, J.-Y. Suh, M. Enomoto-Iwamoto, E. Koyama, W.R. Abrams, I.M. Shapiro, M. Pacifici, and M. Iwamoto

1109 **Perlecan maintains the integrity of cartilage and some basement membranes.**

M. Costell, E. Gustafsson, A. Aszódi, M. Mörgelin, W. Bloch, E. Hunziker, K. Addicks, R. Timpl, and R. Fässler

°The online version of this article contains supplemental material.

In Brief

A potential flippase in trafficking.
Balancing forces in meiosis.
Linking actin and microtubules.
PKA anchors and lets go.
W.A. Wells

Mini-Review

1123 **Axonal control of oligodendrocyte development.**
B.A. Barres and M.C. Raff

Brief Reports

1129 **A novel regulatory mechanism of MAP kinases activation and nuclear translocation mediated by PKA and the PTP-SL tyrosine phosphatase.**
C. Blanco-Aparicio, J. Torres, and R. Pulido

1137 **Mutations in the α-*tubulin 67C* gene specifically impair achiasmate segregation in *Drosophila melanogaster*.**
H.J.G. Matthies, L.G. Messina, R. Namba, K.J. Greer, M.Y. Walker, and R.S. Hawley

1145 **Axo-glial interactions regulate the localization of axonal paranodal proteins.**
J.L. Dupree, J.-A. Girault, and B. Popko

Regular Articles

1153 **Duplication and maintenance of heterochromatin domains.**
A. Taddei, D. Roche, J.-B. Sibarita, B.M. Turner, and G. Almouzni

1167 **The A-kinase–anchoring protein AKAP95 is a multivalent protein with a key role in chromatin condensation at mitosis.**
P. Collas, K. Le Guellec, and K. Taskén

1181 **Gemin3: A novel DEAD box protein that interacts with SMN, the spinal muscular atrophy gene product, and is a component of gems.**
B. Charroux, L. Pellizzoni, R.A. Perkinson, A. Shevchenko, M. Mann, and G. Dreyfuss

1195 **Stress-associated endoplasmic reticulum protein 1 (SERP1)/ribosome-associated membrane protein 4 (RAMP4) stabilizes membrane proteins during stress and facilitates subsequent glycosylation.**
A. Yamaguchi, O. Hori, D.M. Stern, E. Hartmann, S. Ogawa, and M. Tohyama

1205 **ER to Golgi transport: Requirement for p115 at a pre-Golgi VTC stage.**
C. Alvarez, H. Fujita, A. Hubbard, and E. Sztul

1223 **Role for Drs2p, a P-type ATPase and potential aminophospholipid translocase, in yeast late Golgi function.**
C.-Y. Chen, M.F. Ingram, P.H. Rosal, and T.R. Graham

1237 **Intracellular trafficking of variant chicken kidney AE1 anion exchangers: Role of alternative NH_2 termini in polarized sorting and Golgi recycling.**
T.L. Adair-Kirk, K.H. Cox, and J.V. Cox

1249 **Botulinum neurotoxin A blocks synaptic vesicle exocytosis but not endocytosis at the nerve terminal.**
E.A. Neale, L.M. Bowers, M. Jia, K.E. Bateman, and L.C. Williamson

1261 **Dynein intermediate chain mediated dynein–dynactin interaction is required for interphase microtubule organization and centrosome replication and separation in *Dictyostelium*.**
S. Ma, L. Triviños-Lagos, R. Gräf, and R.L. Chisholm

1275 **Microtubule actin cross-linking factor (MACF): A hybrid of dystonin and dystrophin that can interact with the actin and microtubule cytoskeletons.**
C.L. Leung, D. Sun, M. Zheng, D.R. Knowles, and R.K.H. Liem

1287 **Vertebrate isoforms of actin capping protein β have distinct functions in vivo.**
M.C. Hart and J.A. Cooper

1299 **Blood platelets are assembled principally at the ends of proplatelet processes produced by differentiated megakaryocytes.**[o]
J.E. Italiano Jr., P. Lecine, R.A. Shivdasani, and J.H. Hartwig

1313 **Keratocytes pull with similar forces on their dorsal and ventral surfaces.**
C.G. Galbraith and M.P. Sheetz

1325 **Induction of cell scattering by expression of β1 integrins in β1-deficient epithelial cells requires activation of members of the Rho family of GTPases and downregulation of cadherin and catenin function.**
C. Gimond, A. van der Flier, S. van Delft, C. Brakebusch, I. Kuikman, J.G. Collard, R. Fässler, and A. Sonnenberg

1341 **Cell elongation induces laminin α2 chain expression in mouse embryonic mesenchymal cells: Role in visceral myogenesis.**
N.K. Relan, Y. Yang, S. Beqaj, J.H. Miner, and L. Schuger

1351 **Direct binding of three tight junction-associated MAGUKs, ZO-1, ZO-2, and ZO-3, with the COOH termini of claudins.**
M. Itoh, M. Furuse, K. Morita, K. Kubota, M. Saitou, and S. Tsukita

[o]The online version of this article contains supplemental material.

Volume 147, Number 7, December 27, 1999

In Brief

New linkages in cytoskeletal dynamics. Diverging and converging pathways.
A.W. Dove

Brief Reports

1365 **The DNA binding-independent function of the glucocorticoid receptor mediates repression of AP-1–dependent genes in skin.**
J.P. Tuckermann, H.M. Reichardt, R. Arribas, K.H. Richter, G. Schütz, and P. Angel

1371 **Mitotic regulators govern progress through steps in the centrosome duplication cycle.**
S.J. Vidwans, M.L. Wong, and P.H. O'Farrell

1379 **The Eps15 homology (EH) domain-based interaction between Eps15 and Hrb connects the molecular machinery of endocytosis to that of nucleocytosolic transport.**
M. Doria, A.E. Salcini, E. Colombo, T.G. Parslow, P.G. Pelicci, and P.P. Di Fiore

1385 **Visualization of head–head interactions in the inhibited state of smooth muscle myosin.**
T. Wendt, D. Taylor, T. Messier, K.M. Trybus, and K.A. Taylor

1391 **A novel muscle-specific β1 integrin binding protein (MIBP) that modulates myogenic differentiation.**
J. Li, R. Mayne, and C. Wu

Regular Articles

1399 **Histone macroH2A1.2 relocates to the inactive X chromosome after initiation and propagation of X-inactivation.**
J.E. Mermoud, C. Costanzi, J.R. Pehrson, and N. Brockdorff

1409 **Intranuclear anchoring of repetitive DNA sequences: Centromeres, telomeres, and ribosomal DNA.**
K. Weipoltshammer, C. Schöfer, M. Almeder, V.V. Philimonenko, K. Frei, F. Wachtler, and P. Hozák

1419 **Primary megakaryocytes reveal a role for transcription factor NF-E2 in integrin αIIbβ3 signaling.**
M. Shiraga, A. Ritchie, S. Aidoudi, V. Baron, D. Wilcox, G. White, B. Ybarrondo, G. Murphy, A. Leavitt, and S. Shattil

1431 **RNA-binding proteins TIA-1 and TIAR link the phosphorylation of eIF-2α to the assembly of mammalian stress granules.**
N.L. Kedersha, M. Gupta, W. Li, I. Miller, and P. Anderson

1443 **Export of a cysteine-free misfolded secretory protein from the endoplasmic reticulum for degradation requires interaction with protein disulfide isomerase.**
P. Gillece, J.M. Luz, W.J. Lennarz, F.J. de la Cruz, and K. Römisch

1457 **ER/Golgi intermediates acquire Golgi enzymes by brefeldin A–sensitive retrograde transport in vitro.**
C.-C. Lin, H.D. Love, J.N. Gushue, J.J.M. Bergeron, and J. Ostermann

1473 **Abnormal features in skeletal muscle from mice lacking mitsugumin29.**
M. Nishi, S. Komazaki, N. Kurebayashi, Y. Ogawa, T. Noda, M. Iino, and H. Takeshima

1481 **Alternative splicing regulates the subcellular localization of A-kinase anchoring protein 18 isoforms.**
K.W. Trotter, I.D.C. Fraser, G.K. Scott, M.J. Stutts, J.D. Scott, and S.L. Milgram

1493 **Adenine nucleotide translocase-1, a component of the permeability transition pore, can dominantly induce apoptosis.**
M.K.A. Bauer, A. Schubert, O. Rocks, and S. Grimm

1503 **An actin-binding protein of the Sla2/Huntingtin interacting protein 1 family is a novel component of clathrin-coated pits and vesicles.**
Å.E.Y. Engqvist-Goldstein, M.M. Kessels, V.S. Chopra, M.R. Hayden, and D.G. Drubin

1519 **Cofilin phosphorylation and actin cytoskeletal dynamics regulated by Rho- and Cdc42-activated LIM-kinase 2.**
T. Sumi, K. Matsumoto, Y. Takai, and T. Nakamura

1533 **Ezrin promotes morphogenesis of apical microvilli and basal infoldings in retinal pigment epithelium.**
V.L. Bonilha, S.C. Finnemann, and E. Rodriguez-Boulan

1549 **Molecular dissection of zyxin function reveals its involvement in cell motility.**
B.E. Drees, K.M. Andrews, and M.C. Beckerle

1561 **Bifurcation of cell migratory and proliferative signaling by the adaptor protein Shc.**
L.R. Collins, W.A. Ricketts, L. Yeh, and D. Cheresh

1569 **Cingulin contains globular and coiled-coil domains and interacts with ZO-1, ZO-2, ZO-3, and myosin.**
M. Cordenonsi, F. D'Atri, E. Hammar, D.A.D. Parry, J. Kendrick-Jones, D. Shore, and S. Citi

1583 **ADDITIONS AND CORRECTIONS**

1585 **ADDITIONS AND CORRECTIONS**

1587 **AUTHOR INDEX FOR VOLUME 147**

1617 **SUBJECT INDEX FOR VOLUME 147**